

2021AF1310

WYT-L



1. (TSG T7007 2016 1)

2.

3.

4.

5. 15

6. (TSG T7007 2016 1)

7.

SIQS

1085

1032

: TS7610038-2025

518029

50

518109

0755 28079821 0755 28079351

www.sise.org.cn

szlift@sise.org.cn





			WYT-L
		4.00 m/s	
		15.80 kW	
	/		/
			91210112715754447D
	37		
	37		
			2021 11 25
	20211124		
	19	55%RH	380V
	XPSQ2021100039AZNBG		
← 王飞	2021 11 25	TS7610038-2025 (2021 11 25)	
陈桂洲	2021 11 25		
张怀继	2021 11 25		



1

		4.00 m/s	
		2 1	()
		4000 kg	
		WYT-LC2.0F	
		15.80 kW	
		AC380 V	
		39.8 Hz	
		S5-40%	
			()
		/	
		/	()
		/	
		/	
		8	
		8 mm	
		320 mm	



1	Y5.1			
2	Y5.2			
3	Y5.3			

1.

1	Y6.1.1			
2	Y6.1.2	2	1000V	
		500V	60s	9.90 mA

()

3 Y6.2.1




11	Y6.2.7	1min	AC1000V			
12	Y6.2.8		-	/		
13	Y6.2.9		200 Y6.2.4 Y6.2.6			
14	Y6.2.10	A			46.70 dB(A)	
		LPA				
		N·m		700		1500
		dB(A)	70	75		80
		3000N·m				
		80dB(A)				
15	Y6.3.1		1/2000	0.06 mm		
16	Y6.3.2	0.10mm		0.03 mm		
17	Y6.3.3		15HBW	5.00 HBW		
18	Y6.4		()	/		
		25cm ²				



23	Y6.5.3	(1)	0.13 mm/s	
24		(2)		/
25		(3)	8m/s 8m/s	
26	Y6.5.4		92%	105%
27	Y6.5.5			/
28				
29	Y6.5.6	(1)	(2)	(3)
		(5)	(6)	(7)
		(8)	(9)	(10)
			(12)	(11)

2.





3.

1.

2.
